

EU-TYPE EXAMINATION CERTIFICATE

Issued by Liftinstituut B.V.
identification number Notified Body 0400,
commissioned by Decree no. 2016-0000038870

Certificate no. : NL18-400-1002-261-01 Revision no.: -

Description of the product : Landing door locking device for 2-panel,
automatic sliding doors. Both central and side opening.

Trademark, type : Uygur, LDRS50LCK01

Name and address of the manufacturer : UYGAR ASANSÖR SAN. VE TİC.LTD.ŞTİ.
Alcı OSB Mahallesi 2020. Cadde NO:11
06930 Sincan Ankara, Türkiye.

Name and address of the certificate holder : UYGAR ASANSÖR SAN. VE TİC.LTD.ŞTİ.
Alcı OSB Mahallesi 2020. Cadde NO:11
06930 Sincan Ankara, Türkiye.

Certificate issued on the following requirements : Lifts Directive 2014/33/EU

Certificate based on the following standard : Parts of: EN81-20;2014 & EN81-50;2014

Test laboratory : None

Date and number of the laboratory report : None

Date of EU-type examination :

Additional document with this certificate : Report belonging to the EU-type examination certificate
no.: NL18-400-1002-261-01

Additional remarks : See report

Conclusion : The safety component meets the requirements of the Lifts
Directive 2014/33/EU taking into account any additional remarks
mentioned above.

Amsterdam

Date : 27-02-2018
Valid until : 27-02-2023



ing. J.L. van Vliet
Managing Director



Certification decision by

CERTIFICATE OF CONFORMITY TO TYPE

Issued by Liftinstituut B.V.
identification number Notified Body 0400,
commissioned by Decree no. 2016-0000038870

Certificate no. : NL18-400-1002-261-01/01 Revision no.: -

Description of the product : Landing door locking device for 2-panel,
automatic sliding doors. Both central and side opening

Trademark, type : Uygur, LDRS50LCK01

EU-type certificate no. : NL18-400-1002-261-01 Revision no.: -

Name and address of the manufacturer : UYGAR ASANSÖR SAN. VE TİC.LTD.ŞTİ.
Alcı OSB Mahallesi 2020. Cadde NO:11
06930 Sincan Ankara, Türkiye.

Name and address of the certificate holder : UYGAR ASANSÖR SAN. VE TİC.LTD.ŞTİ.
Alcı OSB Mahallesi 2020. Cadde NO:11
06930 Sincan Ankara, Türkiye.

Certificate issued on the following requirements : Lifts Directive 2014/33/EU

Certificate based on the following standard : Parts of: EN81-20;2014 & EN81-50;2014

Test laboratory : None

Date and number of the laboratory report : None

Date of random check : 20-02-2018

Additional document with this certificate : Report belonging to the certificate of conformity to type
no.: NL18-400-1002-261-01/01

Additional remarks : See report

Conclusion : Following annex IX pt. 5 of the Lifts Directive 2014/33/EU, the
CE-marking on the component shall be accompanied by the
Notified Body identification no. 0400 of Liftinstituut B.V.

Amsterdam

Date : 27-02-2018



ing. J.L. van Vliet
Managing Director



Certification decision by

TYPE EXAMINATION CERTIFICATE FOR LIFTCOMPONENTS

Issued by Liftinstituut B.V.

Certificate no. : NL18-400-1002-261-03 Revision no.: -

Description of the product : Side frames + 2-panelled, automatic horizontal sliding landing-/ and car doors subjected to a pendulum shock test.

Trademark, types :

UYGAR	
Side frames	Doors
LDR.S50.2P.T. INFILL	LDR.S50.2P.T
LDR.S50.2P.C. INFILL	LDR.S50.2P.C
	CDR.S50.2P.T
	CDR.S50.2P.C

Name and address of the manufacturer : UYGAR ASANSÖR SAN. VE TİC.LTD.ŞTİ.
Alcı OSB Mahallesi 2020. Cadde NO:11
06930 Sincan Ankara, Türkiye.

Name and address of the certificate holder : UYGAR ASANSÖR SAN. VE TİC.LTD.ŞTİ.
Alcı OSB Mahallesi 2020. Cadde NO:11
06930 Sincan Ankara, Türkiye

Certificate issued on the following requirements : Lifts Directive 2014/33/EU

Certificate based on the following standard : Parts of: EN 81-20:2014, EN 81-50:2014

Test laboratory : None

Date and number of the laboratory report : None

Date of type examination : October 2017

Additional document with this certificate : Report belonging to the type examination certificate no.: NL18-400-1002-261-03

Additional remarks : See report

Conclusion : The lift component meets the requirements referred to in this certificate taking into account any additional remarks mentioned above.

Amsterdam

Date : 27-02-2018
Valid until : 27-02-2023

ing. J.L. van Vliet
Managing Director

Certification decision by

DENEY SERTİFİKASI

TEST CERTIFICATE



**TÜRK
STANDARLARI
ENSTİTÜSÜ**
TURKISH
STANDARDS
INSTITUTION

Firma Unvanı
Company Name : UYGAR ASANSÖR SAN. VE TİC. LTD.ŞTİ.

Firma Adresi
Company Address : KOCASINAN SANAYİ SİTESİ 202 SOK. NO. 12 OSTİM/ANKARA -/ANKARA

Numunenin Tanımı
Sample Description : ASANSÖR KAT KAPISI

Ticari Marka/Model
Commercial Brand/ Model : UYGAR / 2P MERKEZ

Deneylerin Yapıldığı Tarih Aralığı
Date Interval of Tests : 11.12.2017 - 26.12.2017

Uygulanan Standard(lar) / Metot (lar) ve/veya Tebliğ/Yönetmelik
Applied Standard/Method and/or Notification / Regulations : 23/02/2006 - TS EN 81-58

Deney Raporları
Related Test Reports : TSE / 26/12/2017 - 381114

Özet Açıklama
Summary Explanation : Firma tarafından gönderilen numune(ler) yukarıda atıf yapılan raporun(ların) verildiği laboratuvar(lar)da test edilmiş ve yukarıda atıf yapılan deney raporunda(larında) uygulanan ilgili standard(lar) / metot(lar) / tebliğ(ler) / yönetmelik(ler) maddesine (lerine) göre uygunluk bulunmuştur. The sample(s) submitted by the company has been tested in laborator(y)(ies) where the above mentioned report(s) are given and found to comply with the relevant clause(s) of the applied standard (s) / method (s) / commune (s) / regulation (s) in test report(s) above mentioned



Sonuç (Result)

Yangına Dayanım Sınıfı: E 45

Fire Resistance Class: E 45



05./01/2018

DR. METEHAN ÇALIŞ

YAPI MALZEMELERİ YANGIN VE AKUSTİK
LABORATUVAR MÜDÜRLÜĞÜ

DIRECTORATE OF CONSTRUCTION MATERIALS FIRE
AND ACOUSTICS LABORATORY

Sertifika No : LAB17-DS/25

Veriliş Tarihi : 03.01.2018

Son Geçerlilik Tarihi : 03.01.2021

Certificate No

Date of Issue

Date of Expiry

Bu sertifika istek üzerine yukarıda atıf yapılan rapor(lar)a istinaden düzenlenmiş olup sadece deneyi yapılan numune için geçerlidir. Bu sertifika herhangi bir "Ürün Belgesi" veya "Uygunluk Belgesi" niteliğinde değildir. Bu sertifika TSE marka kullanım hakkı vermez, ayrıca partiyi temsil etmez. This certificate was prepared upon request according to the mentioned test report(s) above and represents only tested sample(s). This certificate does not represent any "Product Certificate" or "Certificate of Conformity". This certificate does not give permission to use the brand of TSE, also does not represent the batch.

<https://evrakkontrol.tse.org.tr/SertifikaDogrulama.aspx?p=19uuioe0> adresinden belgenin doğruluğunu ve geçerliliğini sorgulayınız.



www.tse.org.tr



DENEY SERTİFİKASI TEST CERTIFICATE



TÜRK
STANDARLARI
ENSTİTÜSÜ
TURKISH
STANDARDS
INSTITUTION

Firma Unvanı Company Name	: UYGAR ASANSÖR SAN. VE TİC. LTD.ŞTİ.
Firma Adresi Company Address	: KOCASINAN SANAYİ SİTESİ 202 SOK. NO. 12 OSTİM/ANKARA -/ANKARA
Numunenin Tanımı Sample Description	: ASANSÖR KAT KAPISI
Ticari Marka/Model Commercial Brand/ Model	: UYGAR / 2P TELESKOPIK
Deneylerin Yapıldığı Tarih Aralığı Date Interval of Tests	: 27.11.2017 - 25.12.2017
Uygulanan Standard(lar) / Metot (lar) ve/veya Tebliğ/Yönetmelik Applied Standard/Method and/or Notification / Regulations	: 23/02/2006 - TS EN 81-58
Deney Raporları Related Test Reports	: TSE / 25/12/2017 - 380703
Özet Açıklama Summary Explanation	: Firma tarafından gönderilen numune(ler) yukarıda atıf yapılan raporun(ların) verildiği laboratuvar(lar)da test edilmiş ve yukarıda atıf yapılan deney raporunda(larında) uygulanan ilgili standard(lar) / metot(lar) / tebliğ(ler) / yönetmelik(ler) maddesine (lerine) göre uygunluk bulunmuştur. The sample(s) submitted by the company has been tested in laborator(y)(ies) where the above mentioned report(s) are given and found to comply with the relevant clause(s) of the applied standard (s) / method (s) / communique (s) / regulation (s) in test report(s) above mentioned



Sonuç (Result)

Yangına Dayanım Sınıfı: E 120

Fire Resistance Class: E 120



DR. METEHAN ÇALIŞ

YAPI MALZEMELERİ YANGIN VE AKUSTİK
LABORATUVAR MÜDÜRLÜĞÜ

DIRECTORATE OF CONSTRUCTION MATERIALS FIRE
AND ACOUSTICS LABORATORY

Sertifika No : LAB17-DS/26

Veriliş Tarihi : 03.01.2018

Son Geçerlilik Tarihi : 03.01.2021

Certificate No

Date of Issue

Date of Expiry

Bu sertifika istek üzerine yukarıda atıf yapılan rapor(lar)ı istinaden düzenlenmiş olup sadece deneyi yapılan numune için geçerlidir. Bu sertifika herhangi bir "Ürün Belgesi" veya "Uygunluk Belgesi" niteliğinde değildir. Bu sertifika TSE marka kullanımı hakkı vermez, ayrıca partiyi temsil etmez. This certificate was prepared upon request according to the mentioned test report(s) above and represents only tested sample(s). This certificate does not represent any "Product Certificate" or "Certificate of Conformity". This certificate does not give permission to use the brand of TSE, also does not represent the batch.

<https://evrakkontrol.tse.org.tr/SertifikaDogrulama.aspx?p=ug7mcbmv> adresinden belgenin doğruluğunu ve geçerliliğini sorgulayınız.



www.tse.org.tr



**EU DECLARATION OF CONFORMITY
FOR SAFETY COMPONENTS FOR LIFTS**

Manufacturer

Name : UYGAR ASANSÖR SAN. ve TİC. LTD. ŞTİ.
Address : Alıcı OSB Mahallesi 2020 cadde. No:11 Sincan-Ankara / TURKEY

Authorised Representative

Name : UYGAR ASANSÖR SAN. ve TİC. LTD. ŞTİ.
Address : Alıcı OSB Mahallesi 2020 cadde. No:11 Sincan-Ankara / TURKEY

Safety Component For Lifts

Product Name : Landing Door Locking Device
Type : LDRS50LCK01
Lot Number : BUR00001
Production Date : 20.02.2018

Conformity Assessment Procedures

EU-Type Examination (modüle B) Certificate Number : NL18-400-1002-261-01

Notified Body : 0400
LIFTINSTITUUT B.V.
Postbus 36027
1020 MA Amsterdam / Netherlands

Conformity to Type with Random Checking
(module C 2) Certificate Number : NL18-400-1002-261-01/01

Notified Body : 0400
LIFTINSTITUUT B.V.
Postbus 36027
1020 MA Amsterdam / Netherlands

EU-Type Examination (modüle B) Certificate Number:
NL18-400-1002-261-01

Notified Body 0400
LIFTINSTITUUT B.V.
Postbus 36027
1020 MA Amsterdam - Netherlands

Conformity to Type with Random Checking (module C 2)
Certificate Number:
NL18-400-1002-261-01/01

Notified Body 0400
LIFTINSTITUUT B.V.
Postbus 36027
1020 MA Amsterdam - Netherlands

Manufacturer declares that the Safety Component complies with the following Directives and Harmonized Standards:

EU-Directive	2014/33/EU	Lifts Directive
Harmonized Standards	EN81-20:2014	Safety rules for the construction and installation of lifts-Lifts for the transport of persons and goods-Part 20: Passenger and goods passenger lifts.
	EN81-50:2014	Safety rules for the construction and installation of lifts - Examinations and tests - Part 50: Design rules, calculations, examinations and tests of lift components.

Authorisation

Place : Ankara - TURKEY
Date : 20.02.2018
Name Authorized Person / Function : Levent Aksöz / Production Manager
Company Stamp / Signature :

UYGAR
Asansör Sanayi Ve Ticaret Ltd.Şti
Aso 2 Org. San. Bölgesi Sincan Alıcı
Mah. 2020 Cad. No:11 Terepli / ANKARA
Fabrika Tel: +90 544 385 76 31 Merkez Tel: 444 45 18
Faks: +90 312 454 68 83
Osüm V.D. : 001 001 001 No:118592
E-posta: info@uygar.com.tr

